

SEVERE-DUTY FIFTH WHEEL SLIDER SYSTEM

THE INDUSTRY'S LEADING SEVERE-DUTY SLIDER SYSTEM -
INCLUDES KOMPENSATOR® AND NO-TILT MODELS




SEVERE-DUTY SLIDER SYSTEM FOR HOLLAND FIFTH WHEELS

STANDARD FEATURES


- When combined with the FW70 top plate, it delivers a very robust 200,000 lb. drawbar pull capacity for sliding applications.
- 8", 9", 10" and 11" bracket heights to meet all configuration needs for the OEMs and customers.
- 12", 24", 36", 48", 60" and 72" slider travels to accommodate for a wide range of weight distribution and clearance needs.
- 2" slide increments for positioning versatility to meet any payload distribution requirements.
- In-cab air slide release control allows driver to easily reposition the fifth wheel when required.
- SDS modular design is service friendly to allow the changing of fifth wheel heights or adding an optional convertible No-Tilt top plate.

VISUAL PLUNGER LOCK INDICATORS



Located towards the front of the slide bracket for easy visibility, allows driver to quickly identify that the slide bracket is securely locked in place.

Available Option – Repositionable slide stops are available when there is a need to limit the fifth wheel travel to accommodate the customer application requirements.




SEVERAL SEVERE-DUTY SLIDER MODELS


Designed to work with the FW70. FW35 and FW33 only available in SDS with Kompensator system.



FW70*



FW35*
SDS Kompensator Only




FW33**
SDS Kompensator Only

*Maximum vertical load and drawbar pull capacity is determined by top plate model specified.

**FW33 is approved for Moderate Duty applications only.

NOTE: See the HOLLAND Fifth Wheel Catalog and Specification Guide (XL-FW10066SG) for more information.

INDUSTRY LEADING CAPACITY
200,000 lbs.
Maximum Drawbar Pull*




*Outboard Mounting
Base Shown*

INBOARD & OUTBOARD MOUNTING SYSTEMS


– available to meet all OEM and customer mounting needs. Outboard mounting is no longer considered a “special” order.

Available with FW70 top plate only.

Inboard Mount





Outboard Mount



KOMPENSATOR® MOUNTING SYSTEMS

– provide fifth wheel top plate side-to-side cradle movement on uneven terrain. This relieves torsional stress and twist for rigid trailers.



Available with FW35 and FW70 top plates.



NO-TILT MOUNTING SYSTEMS

– allow the fifth wheel top plate to convert to a rigid No-Tilt fifth wheel for applications where articulation is provided on the trailer.

Available with FW70 top plate only.



Convenient storage holder for tilt stop bar when not in use.



TRAILER AXLES AND
SUSPENSION SYSTEMS



COUPLING AND
LIFTING SYSTEMS



SUSPENSIONS FOR
TRUCKS AND BUSES



SUSPENSIONS AND
AXLE SYSTEMS



V.ORLANDI
TOWING
SYSTEMS



TRAILER AXLES/SUSPENSIONS,
COUPLING AND LIFTING
SYSTEMS

safholland.com

SAF-HOLLAND, Inc.
800.876.3929

SAF-HOLLAND Canada Limited
519.537.3494
Western Canada 604.574.7491

SAF-HOLLAND Mexico
52.55.5456.8641